

● Standard type model number list

● : Model availability

Thread size	Model		Model number	Minimum orifice diameter [mm]	Flow rate [L/min] at following pressure [MPa]							Spray angle at following pressure [MPa]				
	Male	Female			0.1	0.2	0.3	0.5	0.7	1.0	1.5	0.1	0.2	0.3	0.5	1.0
	KSHR	KSHR--H														
1/4	●	●	0265	0.9	1.15	1.63	2.0	2.6	3.1	3.7	4.5	52°	61°	65°	70°	72°
	●	●	0280	0.8	1.15	1.63	2.0	2.6	3.1	3.7	4.5	62°	72°	80°	87°	91°
	●	●	0365	1.2	1.73	2.5	3.0	3.9	4.6	5.5	6.7	52°	61°	65°	70°	72°
	●	●	0380	1.0	1.73	2.5	3.0	3.9	4.6	5.5	6.7	62°	72°	80°	87°	91°
	●	●	0465	1.5	2.3	3.3	4.0	5.2	6.1	7.3	8.9	54°	62°	65°	70°	72°
	●	●	0480	1.2	2.3	3.3	4.0	5.2	6.1	7.3	8.9	64°	73°	80°	87°	91°
	●	●	0665	1.9	3.5	4.9	6.0	7.8	9.2	11.0	13.4	54°	62°	65°	70°	72°
	●	●	0680	1.5	3.5	4.9	6.0	7.8	9.2	11.0	13.4	67°	77°	80°	83°	86°
3/8	●	●	1065	2.4	5.8	8.2	10.0	12.9	15.3	18.3	22.4	56°	63°	65°	68°	70°
	●	●	1080	2.0	5.8	8.2	10.0	12.9	15.3	18.3	22.4	70°	78°	80°	83°	84°
	●	●	1565	3.0	8.7	12.2	15.0	19.4	22.9	27.4	33.5	57°	63°	65°	68°	70°
	●	●	1580	2.6	8.7	12.2	15.0	19.4	22.9	27.4	33.5	71°	78°	80°	83°	84°
	●	●	2065	3.6	11.5	16.3	20.0	25.8	30.6	36.5	44.7	57°	63°	65°	68°	70°
	●	●	2080	3.1	11.5	16.3	20.0	25.8	30.6	36.5	44.7	73°	78°	80°	82°	83°
	●	●	2565	4.0	14.4	20.4	25.0	32.3	38.2	45.6	55.9	57°	63°	65°	68°	70°
	●	●	2580	3.5	14.4	20.4	25.0	32.3	38.2	45.6	55.9	73°	78°	80°	81°	82°
1/2	●	●	3065	4.4	17.3	24.5	30.0	38.7	45.8	54.8	67.1	57°	63°	65°	68°	70°
	●	●	3080	3.9	17.3	24.5	30.0	38.7	45.8	54.8	67.1	73°	78°	80°	81°	82°
	●	●	4065	5.2	23.1	32.7	40.0	51.6	61.1	73.0	89.4	57°	63°	65°	68°	70°
	●	●	4080	4.7	23.1	32.7	40.0	51.6	61.1	73.0	89.4	75°	78°	80°	81°	81°
3/4	●	●	5065	5.8	28.9	40.8	50.0	64.5	76.4	91.3	112	57°	63°	65°	68°	70°
	●	●	5080	5.2	28.9	40.8	50.0	64.5	76.4	91.3	112	75°	78°	80°	81°	81°
	●	●	6065	6.5	34.6	49.0	60.0	77.5	91.7	110	134	57°	63°	65°	68°	70°
	●	●	6080	5.8	34.6	49.0	60.0	77.5	91.7	110	134	75°	78°	80°	81°	81°
1	●		7565	7.0	43.3	61.2	75.0	96.8	115	137	168	57°	63°	65°	68°	70°
	●		7580	6.3	43.3	61.2	75.0	96.8	115	137	168	75°	78°	80°	81°	81°

*Maximum spray angle is 110° at pressure of 0.3 MPa.

■ Performance data

